


Lampholder Cover for Weatherproof Box

Material: Aluminum

Application: for use with round weatherproof box, providing an easy means of mounting lampholders and other accessories




#Type	Description	Master QTY	Dim A (inch)	Dim B (inch)
RC-2	Round 1/2"X2	100	4.311	3.543

Lampholder Cover for Weatherproof Box

Material: Aluminum

Application: for use with round weatherproof box, providing an easy means of mounting lampholders and other accessories




#Type	Description	Master QTY	Dim A (inch)	Dim B (inch)
RC-3	Round 1/2"X3	100	4.311	3.543

Par Lamp Holder

Material: Aluminum

Application: locking swivel knuckle permits lamp positioning and aiming




#Type	Description	Master QTY	Dim A (inch)	Dim B (inch)
F-150	for 75-150W Par 38 Lamps	100	2.813	2.094

Closure Plug

Material: Zinc

Application: for use with weatherproof boxes, extension rings and lampholder covers to seal off unused outlets



#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
PLG01	1/2"	100	1000	0.788	0.328
PLG02	3/4"	100	1000	1.000	0.300
PLG03	1"	50	500	1.231	0.275

STEEL BOXES



▶ Rectangular Box 4" X 2-1/8"

Material: Steel

Application:used for switches, outlets or used as a small junction box



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
HB01	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	10.3 Cu. In.	50
HB02	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	10.3 Cu. In.	50
HB03	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	10.3 Cu. In.	50
HB11	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	13 Cu. In.	50
HB12	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	13 Cu. In.	50
HB13	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	13 Cu. In.	50
HB16	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	14.5 Cu. In.	50
HB17	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	14.5 Cu. In.	50
HB18	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	14.5 Cu. In.	50
HB19	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	14.5 Cu. In.	50

▶ Rectangular Box 4-1/8" X 2-1/2"

Material: Steel

Application:used for switches, outlets or used as a small junction box



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
HB31	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	17 Cu. In.	50
HB32	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	17 Cu. In.	50
HB33	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	17 Cu. In.	50

▶ Rectangular Box 4" X 2-1/8" Extension Type

Material: Steel

Application:for use to extend the depth of rectangular steel box 4" X 2-1/8"



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
HB21	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	10.3 Cu. In.	50
HB22	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	10.3 Cu. In.	50
HB23	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	10.3 Cu. In.	50
HB26	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	13 Cu. In.	50
HB27	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	13 Cu. In.	50
HB28	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	13 Cu. In.	50

▶ Square Box 4"

Material: Steel

Application:used for switches, outlets or used as a small junction box



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
SB01	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	21 Cu. In.	50
SB02	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	21 Cu. In.	50
SB03	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	21 Cu. In.	50
SB11	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	26.3 Cu. In.	50
SB12	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	26.3 Cu. In.	50
SB13	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	26.3 Cu. In.	50
SB16	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	30.3 Cu. In.	50
SB17	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	30.3 Cu. In.	50
SB18	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	30.3 Cu. In.	50
SB19	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	30.3 Cu. In.	50
SB20	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"&1"	30.3 Cu. In.	50

▶ Square Box 4-11/16"

Material: Steel

Application:used for switches, outlets or used as a small junction box



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
SB31	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	42 Cu. In.	40
SB32	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	42 Cu. In.	40
SB33	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	42 Cu. In.	40
SB34	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	42 Cu. In.	40
SB35	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"&1"	42 Cu. In.	40

▶ Square Box 4" Extension Type

Material: Steel

Application:for use to extend the depth of square steel box 4"



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
SB21	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	21 Cu. In.	50
SB22	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	21 Cu. In.	50
SB23	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	21 Cu. In.	50
SB26	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	30.3 Cu. In.	50
SB27	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	30.3 Cu. In.	50
SB28	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	30.3 Cu. In.	50
SB29	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	30.3 Cu. In.	50

▶ Octagonal Box 4"

Material: Steel

Application:used for switches, outlets or used as a small junction box



#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
OB01	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	15.8	50
OB02	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	15.8	50
OB03	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	15.8	50
OB11	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	19.8	50
OB12	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	19.8	50
OB13	1-7/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	19.8	50
OB16	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	22.5	50
OB17	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	22.5	50
OB18	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	22.5	50
OB19	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	22.5	50

▶ Octagonal Box 4" Extension Type

Material: Steel

Application:for use to extend the depth of octagonal steel box 4"




#Type	Depth	Thickness(mm)	Knockouts	Capacity	Master QTY
OB21	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"	15.8	50
OB22	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	3/4"	15.8	50
OB23	1-1/2"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	15.8	50
OB26	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"	22.5	50
OB27	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	3/4"	22.5	50
OB28	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1/2"&3/4"	22.5	50
OB29	2-1/8"	0.8 / 1.0 / 1.2 / 1.5	1"	22.5	50

▶ Cover for Steel Box 4"X2-1/8"

Material: Steel

Application:for use with rectangular steel box 4"X2-1/8"



#Type	Description	Master QTY	Length (inch)	Width (inch)	Thickness(mm)
H001	Blank	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H002	1/2" K.O.	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H003	Single Toggle Switch	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H004	Duplex Flush Receptacle	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H005	Single GFCI receptacle	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H006	1-19/32" Hole, for Single Flush Receptacle	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5
H007	1-13/32" Hole, for Single Receptacle	200	4.272	2.323	0.8 / 1.0 / 1.2 / 1.5

Note: Covers Raised 1/4"

▶ Cover for Steel Box 4-1/8" X 2-1/2"

Material: Steel

Application:for use with rectangular steel box 4-1/8" X 2-1/2"



#Type	Description	Master QTY	Length (inch)	Width (inch)	Thickness(mm)
H011	Blank	200	4.331	2.677	0.8 / 1.0 / 1.2 / 1.5
H012	1/2" K.O.	200	4.331	2.677	0.8 / 1.0 / 1.2 / 1.5
H013	Single Toggle Switch	200	4.331	2.677	0.8 / 1.0 / 1.2 / 1.5
H014	Duplex Flush Receptacle	200	4.331	2.677	0.8 / 1.0 / 1.2 / 1.5
H015	1-19/32" Hole, for Single Flush Receptacle	200	4.331	2.677	0.8 / 1.0 / 1.2 / 1.5

Note: Covers Raised 3/16"

▶ Cover for Square Box 4"

Material: Steel

Application:for use with square steel box 4"



S011-38



#Type	Description	Master QTY	Length (inch)	Width (inch)	Thickness(mm)
S001	Flat, Blank	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S002	Flat, 1/2" K.O.	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S003	Flat, Single Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S004	Flat, Two Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S005-14	1/4" Raised, Single Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S005-12	1/2" Raised, Single Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S006-14	1/4" Raised, Two Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S006-12	1/2" Raised, Two Device	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S007-12	1/2" Raised, Open Plaster Ring with Ears	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S008-38	3/8" Raised, for One Toggle Switch	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S009-38	3/8" Raised, for Two Toggle Switches	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S010-38	3/8" Raised, for One Duplex Receptacle	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
S011-38	3/8" Raised, for Two Duplex Receptacles	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5

▶ Cover for Square Box 4-11/16"

Material: Steel

Application:for use with square steel box 4-11/16"




#Type	Description	Master QTY	Length (inch)	Width (inch)	Thickness(mm)
S021	Flat, Blank	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5
S022	Flat, 1/2" K.O.	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5
S023-14	1/4" Raised, Single Device	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5
S023-12	1/2" Raised, Single Device	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5
S024-12	1/2" Raised, Two Device	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5
S025-12	1/2" Raised, Open Plaster Ring with Ears	200	4.724	4.724	0.8 / 1.0 / 1.2 / 1.5

▶ Cover for Octagonal Box 4"

Material: Steel

Application:for use with octagonal steel box 4"




#Type	Description	Master QTY	Length (inch)	Width (inch)	Thickness(mm)
O001	Octagonal, Blank	200	3.780	3.780	0.8 / 1.0 / 1.2 / 1.5
O002	Octagonal, 1/2" K.O.	200	3.780	3.780	0.8 / 1.0 / 1.2 / 1.5
O003	Round, Blank	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5
O004	Round, 1/2" K.O.	200	4.094	4.094	0.8 / 1.0 / 1.2 / 1.5

▶ Cajas Metálicas

Material: Steel

Application:for use with conduit as junction box




#Type for PG		Trade Size (mm)			Concentric Knockouts		Master QTY
PG	HDG	L	W	H	Size	Numbers	
SJB01	SJB11	118	76	40	3/8"&1/2"	6	80
SJB02	SJB12	100	65	65	1/2"&3/4"	6	60
SJB03	SJB13	100	100	65	1/2"&3/4"	8	60
SJB04	SJB14	150	150	100	3/4"&1"	8	20
SJB05	SJB15	200	100	100	3/4"&1"	8	20
SJB06	SJB16	200	200	100	3/4"&1"	12	10
SJB07	SJB17	300	200	100	3/4"&1"	14	10
SJB08	SJB18	300	200	150	3/4"&1"	14	8
SJB09	SJB19	400	300	150	3/4"&1"	20	4

Note: PG abbr. for Pre-galvanized, HDG abbr. for Hot Dip Galvanized

► Knockout Seal

Material: Steel

Application: for use to cover exposed knockout hole in a box or enclosure



#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
KS01	1/2"	100	1000	1.071	0.866
KS02	3/4"	50	500	1.303	1.102
KS03	1"	50	500	1.528	1.358

► Offset Nipple

Material: Zinc

Application: for use to connect two boxes or enclosures when knockouts are not in line



#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
FTN01	1/2"	20	200	2.402	1.000
FTN02	3/4"	10	100	2.402	1.220
FTN03	1"	10	100	2.717	1.525
FTN04	1-1/4"	*	40	2.795	1.910
FTN05	1-1/2"	*	40	3.031	2.125
FTN06	2"	*	10	3.150	2.665

► Box Spacer Connector

Material: Zinc

Application: used as a short raceway to connect electrical junction boxes or enclosures



#Type	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
BBC01	1/2"	*	100	1.165	0.200
BBC02	3/4"	*	100	1.162	0.290

HANGERS & SUPPORTS

